

AMENDMENTS TO THE CLAIMS

1. (currently amended) A method for addressing a network extension element for a synchronous optical network, comprising:

addressing an extension network element using a modified [[TL1]] transaction language 1 message including a session identifier in a field of the modified [[TL1]] transaction language 1 message that originally contained an extension network element identifier in an original [[TL1]] transaction language 1 message to set up a SONET connection;

transmitting a response to the modified [[TL1]] transaction language 1 message including the session identifier back to a network element;

determining a port to transmit the response based on the session identifier [[ID]] included in the response;

replacing the session identifier [[ID]] in the response with the extension network element identifier; and

forwarding a modified response including the extension network element identifier to a source network element that transmitted the original [[TL1]] transaction language 1 message using the port.

2. (currently amended) The method according to claim 1, further comprising:

receiving the modified [[TL1]] transaction language 1 message including the extension network element identifier in the field of the modified [[TL1]] transaction language 1 message at a network element specified in a [[TID]] terminal identifier field of the [[TL1]] transaction language 1 message, wherein the field is a general field in the original [[TL1]] transaction language 1 message;

replacing the extension network element identifier with the session identifier; and
transmitting the modified [[TL1]] transaction language 1 message to the
extension network element.

3. (currently amended) The method according to claim 2, further comprising:

receiving the modified [[TL1]] transaction language 1 message at the extension
network element; and

processing the modified [[TL1]] transaction language 1 message at the extension
network element

4. (previously presented) The method according to claim 3, further comprising:

accepting the command response at the network element.

5. (currently amended) A method of extending an optical network, comprising:

receiving a command message from the optical network including a port identifier
specifying [[the]] a port of a network element that is connected to an extension network
element;

replacing the port identifier with a session identifier in the command message
prior to the transmitting the command message to the extension network element

sending a response message to the network element;

determining a port to transmit the response based on a session identifier included
in the response;

replacing the session identifier of the response with [[the]] a extension network element identifier of the response; and

forwarding a modified response to a second network element.

6. (previously presented) The method according to claim 5, further comprising:

identifying a data communication channel corresponding to the port identifier;
and

transmitting the command message to the extension network element over the identified data communication channel.

7. (cancelled)

8. (cancelled)

9. (previously presented) The method according to claim 5, further comprising:

transmitting the response message over the network.

10. (currently amended) A system for extending an optical network, comprising:

an extension network element for connection to a network element of an optical network,
[[;]] wherein the extension network element is configurable to:

receive a modified command message from the network element of the optical network that includes a session identifier in a field of the modified command message that originally contained an extended network element identifier; and

transmit a response to the modified command message including the session identifier back to the network element of the optical network; and

wherein the network element of the optical network is configured to:

determine a port to transmit the response based on the session identifier included in the response;

replace the session identifier with ~~[[the]]~~ a extension network element identifier of the response; and

forward a modified responses to respective source network elements of the optical network that transmitted the original command message ~~messages~~.

11. (cancelled)

12. (currently amended) The system according to claim 10, wherein the extension network element exchanges command messages and responses with the network element of the optical network via a data communication channel connection.

13. (currently amended) The system according to claim 10, wherein the extension network element does not have a separate terminal identification stored in the routing table of network elements of the optical network within the network to which the extension network element is connected.